

Desire Square Wall Outlet / Handset Holder

Code: MLSHDEWH2



Brass Body CuZn40Pb2, EN CW617N (equivalent to BS CZ122) Construction

Finishes Chrome plated to BS EN 248

Product Type Contemporary

Plumbing Systems Suitable for all plumbing systems


G1/2" BSP **Fitting**

Guarantee 10 years against manufacturing faults (3 Years on Serviceable

Parts).

1. Adjustable Brass Handset Holder **Additional Information**

2. Integrated wall elbow



The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.





Desire Hose 2 - Premium Antibacterial PVC Hose 1.5m


Code: MLSHDEHO2



EDPM Construction **Finishes** Chrome **Product Type** Contemporary

Plumbing Systems Suitable for all plumbing systems Manufactured to comply with CE Certification

Cone to cone connection **Additional Information**



The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.



Desire Square Wall Outlet & Handset Holder Kit 2 Code: MLSHDEWHKI2

Construction Brass Body CuZn40Pb2, EN CW617N (equivalent to BS CZ122)

Finishes Chrome Plated
Product Type Contemporary
Mode Single mode,

Fitting G1/2"

Guarantee 10 years against manufacturing faults (3 Years on Serviceable

Parts)

Additional Information Rubber Nozzle

Flow Rates (Litres per minute)

System Pressure	0.1 Bar	0.2 Bar	0.3 Bar	0.5 Bar	1.0 Bar	1.5 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
	0.9	1.7	3.1	4.7	7.2	9.2	10.8	13.7	16.1	18.3

The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.



